

1/14

FIG.1




FIG.9

No.	MOBILE STATION No.	SWITCHING TIME (ms)	POSSIBLE DATA TRANSMISSION RATE (kbps)
01	19970920	0.1	UP : INTERMITTENCE, 1,2,4,8,32,1024 DOWN : INTERMITTENCE, 1,2,4,8,32,1024,2048
02	19970923	0.2	UP : INTERMITTENCE, 1,2,32,1024 DOWN : INTERMITTENCE, 1,2,32,1024,4192
03	19970926	5.0	UP : INTERMITTENCE,1,2,8,32 DOWN : INTERMITTENCE, 1,2,8,32,1024
04	19971003	10.0	UP : INTERMITTENCE,1,2,8 DOWN : INTERMITTENCE, 1,2,8,32,1024,4192

2/14

FIG.2






FIG.3



55...DOWN TIME SLOT LENGTH FROM BASE STATION TO MOBILE STATION IN HIGH SPEED DATA COMMUNICATION


56...UP TIME SLOT LENGTH FROM MOBILE STATION TO BASE STATION

4/14




5/14

FIG.5




6/14

FIG.6




7/14

FIG.7




8/14

FIG.8




9/14

FIG.10




10/14

FIG.11




11/14

FIG.12




12/14

FIG.13



13/14

FIG.14



14/14

FIG.15

